

Ⓜ **Volwaardige melkvervanger** voor moederloze puppies. **Aanvullende melkvervanger** voor pasgeboren puppies, zogende puppies, drachtige of zogende teven, zieke of herstellende volwassen honden.

Wat is Lactol? Beaphar Lactol is een volwaardige melkvervanger voor honden en redt al meer dan 100 jaar de levens van vele jonge dieren. Lactol is samengesteld op basis van weipoeder, is licht verteerbaar en benadert sterk de natuurlijke moedermelk van zoogdieren.

Bereidingswijze: Voeg Lactol toe aan warm, niet kokend water en roer totdat alles is opgelost. Laat het mengsel afkoelen tot lichaamstemperatuur (38°C). Het product is dan klaar voor gebruik. Oudere dieren drinken hun Lactol liever koud. Bereid Lactol met schone en steriele materialen, in het bijzonder voor jonge dieren. Reeds gemengde Lactol kan maximaal 24 uur in de koelkast worden bewaard. Warm opnieuw op tot lichaamstemperatuur alvorens jonge dieren te voeden. Er moet altijd vers drinkwater aanwezig zijn.

Aanbevolen basis mengverhouding: voeg 30g (2 afgestreeken maatschepjes) Lactol poeder toe aan 105ml warm, niet kokend water en los het mengsel op om 130ml melk te krijgen.

Aanbevolen dagelijkse dosering: Het is niet mogelijk om precies aan te geven hoeveel er dagelijks gevoerd dient te worden, gezien de grote verschillen in leeftijd, grootte en ras. Echter, de richtlijnen in de tabellen kunnen u van dienst zijn. Het is belangrijk om puppies dagelijks te wegen om hun groei te kunnen vergelijken met de groeitabellen van uw fokker of dierenarts.

Puppy gewicht (g)	max. dagelijkse hvh melk (ml)	Energie (Kcal / KJ)
250	100	99 / 415
500	160	158 / 664
1000	250	248 / 1038
2000	400	396 / 1660
5000	900	891 / 3735

De energiewaarden zijn gebaseerd op de max. dagelijkse hoeveelheid melk.

Moederloze / afgestoten puppy's: Geef de aanbevolen hoeveelheid volgens bovenstaande tabel.

Zwakke / zogende puppy's: Lactol als een aanvullende voeding gebruiken:

5-8 weken oud: tot 4% van het lichaamsgewicht = 40 ml/kg.

8-52 weken oud: tot 1,1% van het lichaamsgewicht = 11 ml/kg.

Puppy's na de 28^e dag langzaam overschakelen naar meer vaste voeding zoals fijngehakt vlees, puppyvoeding, etc.

De hoeveelheid Lactol kan worden afgebouwd tijdens de periode dat de hond gewend raakt aan het vaste voedsel en drinkwater.

Aanbevolen hoeveelheid voor drachtige / zogende moederdieren of voor herstellende / zieke volwassen dieren:

Tot 1,1% van het lichaamsgewicht = 11 ml/kg.

Samenstelling: Melk en -bijproducten, Olien en vetten, Mineralen.

Analytische bestanddelen: Ruw eiwit 24%; Ruwe celstof 0%; Ruw vet 24%; Ruwe as 7%; Vocht 3,5%; Calcium 0,86%; Fosfor 0,6%; Natrium 0,5%;

Magnesium 0,16%; Kalium 1,4%.

Toevoegingsmiddelen/kg: Nutritionele toevoegingsmiddelen: Vitamine A 50000 IU; Vitamine D3 2000 IU; Vitamine B1 4,9 mg; Vitamine B2 3,1 mg;

Pantotheenzuur 9,5 mg; Niacine 20 mg; Vitamine B6 3 mg; Vitamine B12 58 µg; Vitamine C 100 mg; Vitamine E 130 mg; Biotine 50 µg; Vitamine K3 3 mg;

E1 (Fe) 87,7 mg; E2 (I) 0,281 mg; E5 (Mn) 30,5 mg; E6 (Zn) 52,1 mg; E8 (Se) 0,203 mg; DL-Methionine 3000 mg; antioxidanten.

Deze pot is gevuld volgens aangegeven gewicht. De inhoud kan inzakken door het vervoer. Bewaren op kamertemperatuur

(niet hoger dan 25°C) in de originele, goed gesloten verpakking op een droge plaats, beschermd tegen direct zonlicht en vocht.

Batch/Best before: see bottom / Charge/Ten minste houdbaar tot: zie bodem

beaphar®

Lactol

Puppy Milk

Puppy Milk



Vitamins + Minerals



Ⓜ **Complete milk replacement feed** for orphan puppies. **Complementary milk replacement feed** for newborn puppies, weaning puppies, pregnant or lactating dogs (bitches) sick or convalescing adult animals.

Why use Lactol? Lactol has been produced for over 100 years, and has saved the lives of countless young animals. It is made from easily digested whey products and closely resembles natural bitch's milk. **Lactol is highly recommended for:** Orphaned animals and puppies born into large litters, as a weaning aid, as a nutritional supplement for pregnant animals.

How to mix Lactol: Add Lactol to warm, not boiling, water and stir until completely dissolved. Allow to cool to blood temperature (38°C) and it is ready for use. Older pets may prefer to drink their Lactol cold. The use of clean sterile feeding equipment is highly recommended, especially for young animals. Prepared feed may be kept in a refrigerator for up to 24 hours. Reheat to blood temperature before feeding young animals. Always keep fresh drinking water available.

Recommended dilution: add 2 scoops (approx. 30g) to every 105ml warm water (11 scoops should be added to a pint of water).

Recommended daily dosage: it is impossible to give precise daily quantities due to considerable variations of age, size and breed, therefore "demand feeding" will often be your best guide. However, our approximate guidelines are given in the tables below. It is important to weigh young puppies on a daily basis so that you can compare their daily growth increase with the growth tables from your breeder or vet.

Puppy weight (g)	max. vol. (ml) each day	Energy (Kcal / KJ)
250	100	99 / 415
500	160	158 / 664
1000	250	248 / 1038
2000	400	396 / 1660
5000	900	891 / 3735

The energy values are based on the maximum volume milk each day.

Age (days)	Feeds per day
2-14	6-8 (every 3-4 hours, incl. throughout the night)
15-21	6 (every 4 hours, incl. throughout the night)
22-28	6 (incl. once during the night)
29-35	4-6
36-42	2-4
43-49	0-3

As a complementary feed for animals in large litters: additional dosage for animals in large litters, but still with their mother: If the youngster is completely pushed away by siblings or rejected by the mother, switch to the dosage for orphaned animals. In other cases, give Lactol milk as an additional feed to weaker youngsters.

Quantity as a complementary feed for weaned pups: 5 - 8 weeks of age: up to 4.0% of the body weight = 40 ml/kg.

8 - 52 weeks of age: up to 1.1% of the body weight = 11 ml/kg.

Quantity as a complementary feed for growing or adult animals: Pregnant or lactating females: up to 1.1% of the body weight = 11 ml/kg.

Convalescent or sick animals: up to 1.1% of the body weight = 11 ml/kg.

Weaning puppies: After the 28th day, slowly change to a more solid diet such as minced meat, puppy food, etc. Gradually decrease the quantity of Lactol given during this period.

Composition: Milk & Milk Derivatives, Oils & Fats, Minerals.

Analytical Constituents: Crude Protein 24%; Crude Fibre 0%; Crude Oils & Fats 24%; Crude Ash 7%; Moisture 3.5%; Calcium 0.86%;

Phosphorus 0.6%; Sodium 0.5%; Magnesium 0.16%; Potassium 1.4%.

Additives/kg: Nutritional additives: Vitamin A 50000 IU; Vitamin D3 2000 IU; Vitamin B1 4.9 mg; Vitamin B2 3.1 mg; Pantothenic acid 9.5 mg;

Niacin 20 mg; Vitamin B6 3 mg; Vitamin B12 58 µg; Vitamin C 100 mg; Vitamin E 130 mg; Biotin 50 µg; Vitamin K3 3 mg; E1 (Fe) 87.7 mg;

E2 (I) 0.281 mg; E5 (Mn) 30.5 mg; E6 (Zn) 52.1 mg; E8 (Se) 0.203 mg; DL-Methionine 3000 mg; Antioxidants.

This pot is filled by weight. Contents may settle in transit.

Storage Instructions: Store in original container, tightly fastened. Do not store above 25°C. Store in a dry place away from light.

For best results use within 3 months of opening.

UK Help Line: (01440) 715700; info@uk.beaphar.com.

Made by Beaphar B.V., Drostenkamp 3, 8101 BX Raalte/ The Netherlands. α NL/90856. Distributed by:

Ⓜ Beaphar Nederland B.V., Hedel

Ⓜ Beaphar Asia Ltd, Tuen Mun, N.T., Hong Kong CHINA

Ⓜ Beaphar Belgium BVBA, Provenstraat 11, 8970 Poperinge

Ⓜ Beaphar UK Ltd, Haverhill, Suffolk, CB9 8QP

www.beaphar.com

Cont./Inh.:

1 kg



34001-D