

MEDICAL INFORMATION LEAFLET

FINIDIAR FORTE®

Tasty tablets

COMPOSITION

Each tablet contains: 6.75mg of calcium chloride dehydrate, 100mg of aluminium hydroxide gel, 562.5mg kaolin, 10.75mg of magnesium chloride, dried yeast and chicken flavourings.

FEATURES

Aluminium hydroxide reduces the level of hydrochloric acid in the stomach and, as a result, reduces the amount of acid that enters the duodenum. If the level of acidity in the stomach increases to a pH over 4, the prototypic level of activity of Pepsin can also be suppressed. Moreover, aluminium hydroxide can bind (absorbent) gas and toxins, which helps protect the intestinal wall. The colloidal kaolin is an absorbent agent for toxins within intestinal content. Because of these features, FINIDIAR FORTE tablets can 1. Absorb bacteria, toxins and irritants from the bowels, 2. Protect intestinal mucosa, 3. Reduce inflammation, 4. De-activate toxins, 5. Reduce hyperperistalsis, 6. Contribute to normal bowel movement. This combination of ingredients can be an adjuvant with a positive effect on antibacterial and anti-parasitic therapies.


USE

To support dietary measures in dogs with gastrointestinal disorders.

ADMINISTRATION & DOSAGE

Oral administration: 1 tablet twice a day, per 25kilos of body weight, for 2-3 days. It is recommended to follow your veterinarian's dietary advise.

The tablets can be split in halves or quarters to guarantee an accurate dosage. Place the tablet on a flat surface, with the line at the top and the round face at the bottom.



For equal halves: press a thumb down on each end of the line.
For equal quarters: press a thumb down in the middle of the tablet.

STORAGE

Store in areas under 25°C and ensure the packaging is well-sealed. Keep out of reach of children.

PACKAGING

Packaging comes in 250 tablets.

STATUS

09/03/2015

Distributor: AST Farma B.V. Oudewater

Producer: Lelypharma B.V. Lelystad

Bodyweight (kg)	Finidiar for dogs and cats. 1 tablet per 10kg of bodyweight, twice a day		Finidiar Forte for dogs. 1 tablet per 25kg of bodyweight, twice a day	
	Morning	Evening	Morning	Evening
Up to 2,5kg	▢	▢		
> 2,5kg - 5kg	▤	▤		
> 5 kg - 7,5kg	⊕	⊕		
> 7,5 kg - 10kg	⊕	⊕		
> 10 kg - 12,5kg	⊕ ▢	⊕ ▢	▤	▤
> 12,5 kg - 15kg	⊕ ▤	⊕ ▤		
> 15 kg - 17,5kg	⊕ ⊕	⊕ ⊕		
> 17,5 kg - 20kg	⊕ ⊕	⊕ ⊕		
> 20 kg - 25kg			⊕	⊕
> 25 kg - 31,25kg			⊕ ▢	⊕ ▢
> 31,25 kg -37,50kg			⊕ ▤	⊕ ▤
> 37,50 kg - 43,75kg			⊕ ⊕	⊕ ⊕
> 43,75 kg - 50kg			⊕ ⊕	⊕ ⊕

▢ = ¼ Tablet

▤ = ½ Tablet

⊕ = ¾ Tablet

⊕ = 1 Tablet



AST Farma B.V.
Oudewater

FINIDIAR® KH

Tasty paste

Composition

Composition per ml: 2mg of calcium chloride hexahydrate gel (dried), 112.5mg Kaolin, 1mg magnesium chloride, 17.5mg sodium chloride and beef flavourings.

Features

Aluminium hydroxide reduces the level of hydrochloric acid in the stomach and, as a result, reduces the amount of acid that enters the duodenum. If the level of acidity in the stomach increases to a pH over 4, the prototypic level of activity of Pepsin can also be suppressed. Moreover, aluminium hydroxide can bind (absorbent) gas and toxins, which helps protect the intestinal wall. The colloidal kaolin is an absorbent agent for toxins within intestinal content. Because of these features, FINIDIAR FORTE tablets can 1. Absorb bacteria, toxins and irritants from the bowels, 2. Protect intestinal mucosa, 3. Reduce inflammation, 4. De-activate toxins, 5. Reduce hyperperistalsis, 6. Contribute to normal bowel movement. This combination of ingredients can be an adjuvant with a positive effect on antibacterial and anti-parasitic therapies.

Use

To support dietary measures in cats and dogs with gastrointestinal disorders.

Administration

Oral administration only!

Dosage

1ml per 5kg of bodyweight twice a day, for 2-3 days.

It is recommended to follow your veterinarian's dietary advice.

Storage

Store in areas under 25°C and ensure the packaging is well-sealed.

Keep out of reach of children.

Packaging

Comes in an oral syringe with 10 dosages.

Producer: Produlab Pharma, Raamsdonksveer

MEDICAL INFORMATION LEAFLET

FINIDIAR®

Tasty tablets

COMPOSITION

Each tablet contains: 2.7mg of calcium chloride dihydrate, 40mg of aluminium hydroxide gel, 225mg kaolin, 4.3mg of magnesium chloride, 35mg of sodium chloride, dried yeast and chicken flavourings.

FEATURES

Aluminium hydroxide reduces the level of hydrochloric acid in the stomach and, as a result, reduces the amount of acid that enters the duodenum. If the level of acidity in the stomach increases to a pH over 4, the prototypic level of activity of Pepsin can also be suppressed. Moreover, aluminium hydroxide can bind (absorbent) gas and toxins, which helps protect the intestinal wall. The colloidal kaolin is an absorbent agent for toxins within intestinal content. Because of these features, FINIDIAR FORTE tablets can 1. Absorb bacteria, toxins and irritants from the bowels, 2. Protect intestinal mucosa, 3. Reduce inflammation, 4. De-activate toxins, 5. Reduce hyperperistalsis, 6. Contribute to normal bowel movement. This combination of ingredients can be an adjuvant with a positive effect on antibacterial and anti-parasitic therapies.


USE

To support dietary measures in cats and dogs with gastrointestinal disorders.

ADMINISTRATION & DOSAGE

Oral administration: 1 tablet twice a day, per 10 kilos of body weight, for 2-3 days. It is recommended to follow your veterinarian's dietary advice.

The tablets can be split in halves or quarters to guarantee an accurate dosage. Place the tablet on a flat surface, with the line at the top and the round face at the bottom.



For equal halves: press a thumb down on each end of the line.

For equal quarters: press a thumb down in the middle of the tablet.

STORAGE

Store in areas under 25°C and ensure the packaging is well-sealed. Keep out of reach of children.

PACKAGING

Packaging comes in 250 tablets.

STATUS

09/03/2015

Distributor: AST Farma B.V. Oudewater

Producer: Lelypharma B.V. Lelystad

Bodyweight (kg)	Finidiar for dogs and cats. 1 tablet per 10kg of bodyweight, twice a day.		Finidiar Forte for dogs. 1 tablet per 25kg of bodyweight, twice a day	
	Morning	Evening	Morning	Evening
Tot 2,5kg	▢	▢		
> 2,5kg - 5 kg	▢	▢		
> 5 kg - 7,5 kg	⊕	⊕		
> 7,5 kg - 10 kg	⊕	⊕		
> 10 kg - 12,5 kg	⊕ ▢	⊕ ▢	▢	▢
> 12,5 kg - 15 kg	⊕ ▢	⊕ ▢		
> 15 kg - 17,5 kg	⊕ ⊕	⊕ ⊕		
> 17,5 kg - 20 kg	⊕ ⊕	⊕ ⊕		
> 20 kg - 25 kg			⊕	⊕
> 25 kg - 31,25 kg			⊕ ▢	⊕ ▢
> 31,25 kg - 37,50 kg			⊕ ▢	⊕ ▢
> 37,50 kg - 43,75 kg			⊕ ⊕	⊕ ⊕
> 43,75 kg - 50 kg			⊕ ⊕	⊕ ⊕

▢ = ¼ Tablet

▢ = ½ Tablet

⊕ = ¾ Tablet

⊕ = 1 Tablet

ASTfarma

AST Farma B.V.
Oudewater